



# MAS 3351

Semi-timpuriu

330

Boabe



## ADAPTABILITATE RIDICATĂ ÎN CONDIȚII DE SECETĂ

- **PERFORMANȚĂ ÎN ZONELE CELE MAI EXPUSE LA SECETĂ**  
pentru adaptare la schimbările climatice
- **TOLERANȚĂ FOARTE BUNĂ LA CĂDERE**  
pentru recoltare ușoară
- **ASIGURĂ UN START BUN AL CULTURII**  
datorită vigoriei foarte bune la răsărire



### Caracteristici

Talia plantei **Medie - înaltă**  
Tip de bob **Dentat**  
Numărul de rânduri pe știulete **16 - 18**  
Numărul de boabe pe rând **34 - 38**  
MMB **320 - 330 g**  
Înflorit **900°C**  
Maturitate boabe 32% H2O **1820°C**

Suma temperaturii (baza 6°C)

### Agronomie

Vigoare la răsărire **8**  
Stay green **7**  
Dry down **8**  
Rezistență la cădere **8**  
Toleranță la secetă **8**

9 = foarte tolerant, 1 = sensibil

### Toleranță la boli

### Valori furajere

Helminthosporium

7

Fuzarioză (plantă)

8

Fuzarioză (știulete)

7

9 = foarte tolerant, 1 = sensibil

Amidon

8

dNDF

7

Energie

7

9 = foarte tolerant, 1 = sensibil

## Recomandări pentru semănat

	Conditii optime	Conditii limitate
<b>Adaptare</b>	4 pe 4	4 pe 4
<b>Densitate utilizare ca boabe (b.f./ha)</b>	75000 Semințe/ha	60000 Semințe/ha



The results and recommendations given in this document are the values based on MAS Seeds R&D network and are intended for general guidance. We cannot assume any liability for the future achievement of these values, as the individual results and the performance may vary in different local growing, soil and weather conditions.